

MOORE COUNTY

Temporary Food Establishment Vendor Application

Date Submitte To Moore Cou		
Contact Name		
Best Contact		

THE TFE APPLICATION(S) AND THE REQUIRED FEE(S) MUST BE RECEIVED BY MCEH AT LEAST FIFTEEN (15) CALENDAR DAYS PRIOR TO THE EVENT, OR THE APPLICATION SHALL BE DENIED.

SUBMIT TO:

MOORE COUNTY CENTRAL PERMITTING ATTENTION: ENVIRONMENTAL HEALTH PO BOX 905, CARTHAGE, NC 28327

FOR OUESTIONS PLEASE CALL ENVIRONMENTAL HEALTH AT 910-947-6283

FOR QUESTIONS PLEASE CALL ENVIRONMENTAL HEALTH AT 910-947-6283									
Event:									
Event Location:	(Street)	Œ.		(City) (Zi			Zip))	
Event Dates:		To:		Hours:		To:			
Event Coordinate	or: (Name)					(Numbe	er)	`	
Coordinator Addr	ess:								
Booth Name:				Owner/C	perator/Corp	Name:			
Owner/Operator	Address: (S	Street#)							
(City)				(State)		(Zi	ip)		<u></u>
Phone Number:				Email:					
Name/Location o	f event work	ed immediately p	rior to th	is event:					
1) Do you have an employee health yes: No: Copies are available with this packet policy as required?									
2) Will any food and/or drink be prepared at a food sestablishment (FSE) prior to the event? This include vegetables, marinating meat, or cooking completed at a second setables. 3) List any foods that are cooked and then				vashing	or a Tempora application method permitted to the permitte	ary Food Es nust be sub ed FSE is	stabli mitte out	epared in a perm shment Commis ed to obtain a pe of state, pleas this application	sary ermit. <u>If</u> e call
placed in the refrigerator/freezer? Examples: Chili, nacho cheese, BBQ.									
4) If the event is is done with lefton									
handled? Produce includes potatoes, prewas			Pure prewast vegetab	ned Vendor Will provide Washe		☐ Washed at a FSE (see questi			
6) Will any animal food items such as beef, eggs, fish, shellfish, and poultry be offered raw or <i>under cooked?</i> ****Consumer Advisory must be posted			☐ Yes	s – list items:			□ No		
		0.000							

		etc. Attach add upplier/Food Source		Thousing			Cut, Washed, sembled? Where?	handled?	s food Cooked? ere?	Where is item hot/cold held?
			=	Yes	No					
	s	· · · · ·		Yes	No					
				Yes	No					
				Yes	No	-				<u>, </u>
	**			Yes	No					
		-		Yes	No					
				Yes	No					
				Yes	No					
				Yes	No	-				
				Yes	No					
8) Indicate how foo	d tempera	tures	will be r	naint	ained	durin	transport to the e	vent: (chec	k all that a	oply)
☐ Cooler with ice ☐ Refrigerated truck ☐ Cambro			☐ Insulate	ed heat bag	s 🗆	Other:				
9) Source of ice: (check all that apply)				rcial bagged ice	☐ Fr	om approv	ed FSE			
10) Source of water	-] Public v	vater	suppl	ied by	organizer (food gr	ade hose ne	eeded)	
☐ Sealed bottled w	vater						☐ Water from per	rmitted FSE		
11) Check the boxe				e disp	osal n	netho	ds for the following			
Wastewater:						page:				
Event providing grey water disposal bin Event has onsite sewer available to use				Event providing Other:	aumpsters	уріск ир				
Taking back to a			e to use	_			Other.			
			cribe equ	ipme	nt in y	our b	ooth: *utensil wash	ing and hai	ndwash set	up is required*
Cold holding: Hot Holding:				Utensil Wash			washing Set Up:			
Refrigerated truck Steam table			☐ Plumbed 3-con sink	npartment	☐ Plumbed sink					
☐ refrigerator ☐ Grill						☐ Plumbed 3 utili	ty sinks	Makeshift station with		
☐ freezer ☐ Electric hot I			ot bo	Х		3 basins		unassisted gravity flowing faucet		
Cooler on ice wi	Cooler on ice with Chafing dish				Other:	Other:				
drainage port										
Other:										
									1	
13) Check the box t	that descri	oes t	he food b	ooth	set u	p:			L	
tent with sneeze guards and fans			Building/Indoor Event							
	tained Unit									

14) Lighting in food service/storage areas: Shielded built	Shatterproof bulbs				
15) Equipment Layout: Draw or attach a diagram showing the food booth set up. Drawing must show front service area, sneeze guards, handwashing station, utensil wash set up with air drying space, produce washing (if applicable), cooking equipment, refrigeration, hot/cold holding equipment, preparation areas, fan placement (if applicable), etc. Applications submitted without completed drawing will be denied .					
SPACE Fruit/Veg Wash Sink Bulk Dry Food Fan Storage Three basin setup for utensils & equipment wash. W Handwash Setup Food Prep Area Steam Table Sheeze Guard Fan Sheeze Guard					
Customer Services					

Statement: I hereby certify that the above information is complete and accurate. I fully understand that:

- A pre-opening inspection (with electricity and equipment in place) of my temporary food establishment will be required before a permit will be issued.
- Food/drink that is prepared before permitting (without prior approval from MCEH) may result in disposal or embargo of the food/drink.
- Failure to maintain approved temperatures for potentially hazardous foods may result in disposal or embargo
 of the food.

Owner/Manager/DesigneeDate	
----------------------------	--



MOORE COUNTY ENVIRONMENTAL HEALTH

CHECKLIST FOR TEMPORARY FOOD ESTABLISHMENT VENDORS

The following is a checklist to assist vendors in obtaining and maintaining a permit for a Temporary Food Establishment. All Items are required to obtain a permit, however, additional requirements may be applicable. Both the TFE Application(s) and required fee(s) *must be received by MCEH at least fifteen (15) calendar days prior to the event*, or the application shall be depied.

least fifteen (15) calendar days prior to the event, or the application shall	be denied.
Employee Requirements:	Utensil Washing:
 No bare hand contact with ready to eat foods Employee health policy Hat, hair or other hair restraint No jewelry on arms and hands except plain ring 	 3 compartment sink, 3 utility sinks or 3 basins. Must be large enough to submerge the largest utensil Drain board or counter space for air drying Soapy water, rinse water and sanitizer Sanitizer test strips
Tent/Overhead protection:	Handwash Station:
 All items of food operation must be under tent or approved cover 	 At least a 2 gallon container under pressure Free-flowing faucet/stopcock/turn spout Soap and disposable towels Waste water catch bucket
Food Protected and Secured:	Food From Approved Source, Protected and Secured:
 Food secured at all times to prevent tampering and contamination All food stored and transported in food grade containers No food exposed to customers (side guards or sneeze guards if needed) Approved self-service condiments 	 Approved food sources with invoices Food stored off ground No food or drink preparation is allowed prior to issuance of TFE permit.
Water Supply:	Fresh Fruit/Vegetable:
 Approved water source Hoses must be for potable water and labeled with booth name. Backflow preventer required if directly connected to water supply Must have means to heat water for utensil and hand washing 	 Produce must come in prewashed or a separate produce sink is required Produce sink is for produce washing only
Waste Water Disposal:	Lighting:
 Disposal in an approved sewage system Lines, buckets and tanks must be labeled 	Heat lamps protected against breakage All lights shatterproof or shielded above food prep or storage
Food Temperatures:	Permitting Times:
 Provide calibrated metal stem thermometer (reads 0-220F) Consumer advisory required for foods cooked to order Cold holding at 41F and below Hold holding at 135F and above 	Vendor is expected to be ready at permitting time given
Insect and Dust Protection:	
Fly fans Ground cover in absence of asphalt, concrete, or grass	

Application(s) can be faxed to Moore County Central Permitting at 910-947-1303 and payment can be called in at 910-947-2221

Application(s) and fee(s) can also be mailed to Moore County Central Permitting, Attn. Environmental Health, at

PO Box 905, Carthage NC 28327. They also may be hand delivered to

1048 Carriage Oak Drive Carthage NC.

Regardless of method of delivery, both the TFE Application(s) and required fee(s) *must be received by MCEH at least fifteen (15) calendar days* prior to the event, or the application(s) shall be denied. For more information call 910-947-6283

A copy of the North Carolina Rules Governing the Protection and Sanitation of Food Establishments 15A NCAC 18A .2600 and the North Carolina Food Code Manual can be obtained at http://ehs.ncpublichealth.com/faf/docs/foodprot/NC-FoodCodeManual-2009-FINAL.pdf

Food Employee Reporting Agreement

Reporting: Symptoms of Illness

I agree to report to the Person in Charge (PIC) when I have:

- 1. Diarrhea
- 2. Vomiting
- 3. Jaundice (yellowing of the skin and/or eyes)
- 4. Sore throat with fever
- 5. Infected cuts or wounds, or lesions containing pus on the hand, wrist, an exposed body part (such as boils and infected wounds, however small).

Note: The PIC must report to the Health Department when an employee is jaundiced.

Reporting: Diagnosed Illnesses

I agree to report to the Person in Charge (PIC) when I have been diagnosed with:

- 1. Norovirus
- 2. Hepatitis A virus
- 3. Shigella spp. infection (shigellosis)
- 4. Shiga Toxin-Producing Escherichia coli (O157:H7 or other STEC infection)
- 5. Typhoid fever (caused by Salmonella Typhi)
- 6. Salmonella (nontyphoidal)

Note: The PIC must report to the Health Department when an employee has one of these illnesses.

Reporting: Exposure of Illness

I agree to report to the PIC when I have been exposed to any of the illnesses listed above through:

- 1. An outbreak of Norovirus, typhoid fever, shigellosis, E. coli O157:H7 or other STEC infection, or Hepatitis A.
- 2. A household member with Norovirus, typhoid fever, shigellosis, illness due to STEC, or Hepatitis A.
- 3. A household member attending or working in a setting experiencing a confirmed outbreak of Norovirus, typhoid fever, shigellosis, *E. coli* O157:H7 or other STEC infection, or Hepatitis A.

Exclusion and Restriction from Work

If you have any of the symptoms or illnesses listed above, you may be excluded* or restricted** from work.

- *If you are excluded from work you are not allowed to come to work.
- **If you are restricted from work you are allowed to come to work, but your duties may be limited.

Returning to Work

If you are excluded from work for having diarrhea and/or vomiting, you will not be able to return to work until: 1) more than 24 hours have passed since your last symptoms of diarrhea and/or vomiting, or 2) provide written medical documentation from a health practitioner indicating that the symptoms are from a noninfectious condition.

If you are excluded from work for exhibiting symptoms of Norovirus, *Salmonella* Typhi, nontyphoidal *Salmonella*, *Shigella* spp. infection, *E. coli* O157:H7 or other STEC infection, and/or Hepatitis A, you will not be able to return to work until approval from the Health Department is granted.

I have read (or had explained to me) and understand the requirements concerning my responsibilities under the Food Code and this agreement to comply with:

- Reporting requirements specified above involving symptoms, diagnoses, and exposure specified;
- 2. Work restrictions or exclusions that are imposed upon me; and
- 3. Good hygienic practices.

I understand that failure to comply with the terms of this agreement could lead to action by the food establishment or the food
Regulatory Authority that may jeopardize my employment and may involve legal action against me.

Employee Name (please print)	Signature of Employee	Date
PIC Name (please print)	Signature of PIC	Date

Common Foodborne Illnesses

E. Coli

Overview: A bacterium that can produce a deadly toxin and causes an estimated 70,000 cases of foodborne illnesses each year in the U.S.

Sources: Meat, especially undercooked or raw hamburger, produce and raw milk.

Incubation period: 2-10 days

Symptoms: Severe diarrhea, cramping, dehydration

Prevention: Cook implicated food to 155F, wash hands properly and frequently, correctly wash rinse and

sanitize food contact surfaces.

Prevention of Contamination by Hands



 Handwashing is the MOST CRITICAL control step in prevention of disease Invest 20 seconds to follow these 6 simple steps:

- 1. Wet your hands and arms with warm running water.
- Apply soap and bring to a good lather.
- Scrub hands and arms vigorously for 10 to 15 seconds (clean under nails and between fingers).
- Rinse hands and arms thoroughly under running water.
- 5. Dry hands and arms with a single-use paper towel or warm-air hand dryer.
- Use the towel to turn off faucets and open door handles so you don't recontaminate your hands
- 2. Don't go to work when you are sick
- No bare hand contact with ready-to-eat foods.

Shigella

Overview: Shigella is a bacterium that causes an estimated 450,000 cases of diarrhea illnesses each year.

Poor hygiene causes Shigella to be easily passed from person to person.

Sources: Salad, milk, dairy products, and unclean water.

Incubation period: 1-7 days

Symptoms: Diarrhea, stomach cramps, fever, chills and dehydration

Prevention: Wash hands properly and frequently, especially after using the restroom, wash vegetables

thoroughly.

Salmonella (nontyphoidal)

Overview: Salmonella is a bacterium responsible for millions of cases of foodborne illnesses a year. The elderly, infants, and individuals with impaired immune systems are at risk for severe illness. Death can occur if the person is not treated promptly with antibiotics.

Sources: Raw and undercooked eggs, undercooked poultry and meat, dairy products, seafood, fruits and vegetables

Incubation period: 5-72 hours (up to 16 days has been documented for low doses)

Symptoms: Nausea, vomiting, cramps, and fever

Prevention: Cook all food to proper temperatures, chill food rapidly, and eliminate sources of cross-contamination (i.e. proper meat storage, proper washing, rinsing, and sanitizing procedures)

Salmonella Typhi (Typhoid fever)

Overview: Salmonella Typhi is the bacterium that causes Typhoid fever and is responsible for an estimated 430 cases each year. This illness is caused by eating or drinking food or water contaminated with feces from an infected person.

Incubation period: Generally 1 to 3 weeks, but may be as long as 2 months after exposure.

Sources: Ready to eat food, water, and beverages.

Symptoms: High fever, from 103°F to 104°F; lethargy; gastrointestinal symptoms, including abdominal pains and diarrhea or constipation; headache; achiness; loss of appetite. A rash of flat, rose-colored spots sometimes occurs. Symptoms typically last 2 to 4 weeks.

Prevention: Excluding sick food workers, practicing good personal hygiene, preventing cross-contamination, and cooking food to the required final cook temperatures.

Hepatitis A

Overview: Hepatitis A is a liver disease caused by the Hepatitis A virus. Hepatitis A can affect anyone. In the United States, Hepatitis A can occur in situations ranging from isolated cases of disease to widespread epidemics.

Incubation period: 15-50 days

Symptoms: Jaundice, nausea, diarrhea, fever, fatigue, loss of appetite, cramps

Prevention: Wash hands properly and frequently, especially after using the restroom.

Norovirus

Overview: This virus is the leading cause of diarrhea in the United States. Any food can be contaminated with norovirus if handled by someone who is infected with the virus. This virus is highly infectious.

Incubation period: 6-48 hours

Symptoms: Nausea, vomiting, diarrhea, and cramps

Prevention: Wash hands properly and frequently, especially after using the restroom: obtain food from a reputable food source: and wash vegetables thoroughly.